

Firestone Building Products Company

Material Safety Data Sheet

February 9, 2009

Page: 2

SECTION 5: FIRE FIGHTING PROCEDURES

Suitable Extinguishing Media: Not applicable.
Hazardous Combustion Products: None.
Recommended Fire Fighting Procedures: Not applicable.
Unusual Fire and Explosion Hazards: None.

SECTION 6: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled: None Required.
Precautions to Be Taken in Handling and Storing: Keep the product dry. Care should be taken to minimize the amount of dust generated when cutting, applying or handling this product. The amount of dust generated while using this product is expected to vary depending on the user's application.

SECTION 7: EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation: Use in well ventilated area.
Respiratory Protection: Use NIOSH-approved dust, mist, and fume respirator if applicable exposure limit may be exceeded.
Eye Protection: The use of safety glasses with side shields may be warranted.
Skin Protection: The use of leather or cotton gloves for direct handling may be warranted.
Other: None recommended.
Work / Hygienic Practices: Wash exposed skin prior to eating, drinking or smoking and at the end of each shift. Wash contaminated clothing prior to reuse.

SECTION 8: PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor:	Glass mat faced gypsum board; no odor.		
Flash Point:	Not Applicable	Lower Explosive Limit:	None
Method Used:		Upper Explosive Limit:	None
Evaporation Rate:	Not Applicable	Boiling Point:	Not Applicable
pH (undiluted product):	7	Melting Point:	Not Applicable
Solubility in Water:	< 0.2% @ 22° C	Specific Gravity:	2.5
Vapor Density:	Not Applicable	Percent Volatile:	Not Applicable
Vapor Pressure:	Not Applicable		

SECTION 9: STABILITY AND REACTIVITY

Thermal Stability: Stable
Hazardous Polymerization: Will not occur
Conditions to Avoid: Reaction with strong acids will generate carbon dioxide.

SECTION 10: TRANSPORTATION

Firestone Building Products Company

Material Safety Data Sheet

February 9, 2009

Page: 3

Regulatory Agency:	Not Regulated
Proper Shipping Name:	Not Applicable
Hazard Classification:	Not Applicable
Identification Number:	Not Applicable
Labels Required:	Not Applicable
Other Requirements:	Not Applicable

SECTION 11: MISCELLANEOUS INFORMATION

Additional Comments: The continuous filament fiberglass contained in this product is considered non-respirable. Cutting, sanding or otherwise machining this product, however, may generate dust including glass fiber dust.

Gypsum contains naturally occurring crystalline silica. When this material is used as received, crystalline silica is not expected to be released. However, cutting, sanding or otherwise machining this product, may cause crystalline silica to be released.

Date of Previous MSDS: June 24, 2008

Changes Since Previous MSDS: Company name change

Telephone Number for Additional Information: (317) 575-7190

DISCLAIMER

The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Firestone Building Products Company, a subsidiary of Firestone Diversified Products, LLC, assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Firestone Building Products Company assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of this material, even if reasonable safety procedures are followed.