

**PROGLAZE WHITE**Version 1.2  
REVISION DATE: 09/01/2006

Print Date 09/11/2006

**SECTION 1 - PRODUCT IDENTIFICATION**

Trade name : PROGLAZE WHITE  
 Product code : 942806 323

COMPANY : Tremco Incorporated  
 3735 Green Road  
 Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST  
 Emergency Phone: : (216) 765-6727 8:30 - 5:00 EST  
 After Hours: Chemtrec 1-800-424-9300

Product use : Sealant

**SECTION 2 - HAZARDS IDENTIFICATION****Emergency Overview**

White. Non-sag gunnable paste. May cause moderate irritation to the respiratory system. May cause nausea, headaches, and dizziness. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

**Acute Potential Health Effects/ Routes of Entry**

Inhalation : May cause moderate irritation to the respiratory system. May cause nausea, headaches, and dizziness.  
 Eyes : Direct contact may cause severe irritation.  
 Ingestion : May cause irritation to the mouth, throat and stomach. May cause tooth erosion and slight irritation.  
 Skin : May cause moderate irritation.

**Aggravated Medical Conditions**

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

**Chronic Health Effects**

As a by product of curing, acetic acid is produced. Acetic acid is a severe eye, skin and mucus membrane irritant and may cause burns with repeated or prolonged contact. Chronic exposure can cause bronchitis and pharyngeal edema. Acetic acid may cause tooth erosion from tooling. Organosilane may cause liver injury with fibrosis after repeated and prolonged overexposure. Fillers are encapsulated and not expected to be released from product under normal conditions of use.

**Target Organs:** Skin, Eye, Ingestion

**SECTION 3 - PRODUCT COMPOSITION**

Chemical Name	CAS-No.	Weight %
Silicone polymer	NJ TSRN# 51721300-5110P	> 60.0
Amorphous silica	7631-86-9	10.0 - 30.0
Acetoxysilane	NJ TSRN# 51721300-5346P	1.0 - 5.0
Ethyltriacetoxysilane	17689-77-9	1.0 - 5.0
Titanium dioxide	13463-67-7	1.0 - 5.0

**PROGLAZE WHITE**Version 1.2  
REVISION DATE: 09/01/2006

Print Date 09/11/2006

**SECTION 4 - FIRST AID MEASURES**

Get immediate medical attention for any significant overexposure.

- Inhalation : Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.
- Eye contact : Flush with water for at least 15 minutes while holding eye lids apart. Get medical attention immediately.
- Skin contact : Wash area of contact thoroughly with hand cleaner followed by soap and water. If irritation, rash or other disorders develop, get medical attention immediately.
- Ingestion : Do not induce vomiting unless advised by a physician. Call nearest Poison Control Center or Physician immediately.

**SECTION 5 - FIRE FIGHTING MEASURES**

- Flash point : > 300 °F, > 149 °C
- Method : Tag Closed Cup
- Lower explosion limit : Not available.
- Upper explosion limit : Not available.
- Autoignition temperature : Not available.
- Extinguishing media : If water fog is ineffective, use carbon dioxide, dry chemical or foam.
- Hazardous combustion products : Smoke, fumes. Carbon monoxide and carbon dioxide can form.
- Protective equipment for firefighters : Use accepted fire fighting techniques. Wear full firefighting protective clothing, including self-contained breathing apparatus (SCBA).
- Fire and explosion conditions : This product not expected to ignite under normal conditions of use.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

Use appropriate protective equipment. Avoid contact with material. Stop flow. Contain spill. Keep out of water courses. Absorb spill in sand, earth or other suitable material. Transfer to appropriate container for disposal.

**SECTION 7 - HANDLING AND STORAGE**

Prevent inhalation of vapor, ingestion, and contact with skin eyes and clothing. Keep container closed when not in use. Precautions also apply to emptied containers. Store in sealed containers in a cool, dry, ventilated warehouse location.

**SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION****Personal protection equipment**

- Respiratory protection : Wear NIOSH/MSHA approved vapor respirator with appropriate cartridge when the vapor concentration is expected to exceed exposure limits indicated on the MSDS. Follow manufacturer's directions for respirator use.
- Hand protection : Use suitable impervious rubber or vinyl gloves and protective apparel to

**PROGLAZE WHITE**

Version 1.2

Print Date 09/11/2006

REVISION DATE: 09/01/2006

reduce exposure.

- Eye protection : Use safety glasses if eye contact is likely.
- Protective measures : Use professional judgment in the selection, care, and use.
- Engineering measures : Use general ventilation and/ or local exhaust to reduce the airborne contaminant concentration below the exposure limit listed in the MSDS

**Exposure Limits**

<b>Chemical Name</b>	<b>CAS Number</b>	<b>Regulation</b>	<b>Limit</b>	<b>Form</b>
Amorphous silica	7631-86-9	ACGIH TWA:	3 mg/m3	Respirable particles.
		ACGIH TWA:	10 mg/m3	Inhalable particles.
		OSHA PEL:	15 mg/m3	Total dust.
		OSHA PEL:	5 mg/m3	Respirable fraction.
		OSHA TWA:	0.8 mg/m3	
Titanium dioxide	13463-67-7	ACGIH TWA:	10 mg/m3	
		OSHA PEL:	15 mg/m3	Total dust.
		OSHA TWA:	15 mg/m3	Total dust.
		OSHA TWA:	5 mg/m3	Respirable fraction.

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

- Form : Non-sag gunnable paste
- Color : White
- Odor : Acetic acid
- pH : Not available.
- Vapour pressure : Not available.
- Vapor density : Heavier than air
- Melting point/range : Not available.
- Freezing point : Not available.
- Boiling point/range : Not available.
- Water solubility : Negligible
- Specific Gravity : 1.04
- % Volatile Weight : 0 %

**SECTION 10 - REACTIVITY / STABILITY**

- Substances to avoid : Water, alcohols, strong oxidizing agents, strong acids and strong bases.Amines.
- Decomposition products : Hydrolyzes slowly with water or moisture to form acetic acid.
- Stability : Stable
- Hazardous polymerization : Will not occur.

**PROGLAZE WHITE**Version 1.2  
REVISION DATE: 09/01/2006

Print Date 09/11/2006

**SECTION 11 - TOXICOLOGICAL INFORMATION**Amorphous silica, CAS-No.: 7631-86-9  
Acute oral toxicity (LD-50 oral) 22,500 mg/kg ( Rat )**SECTION 12 - ECOLOGICAL INFORMATION**

No Data Available

**SECTION 13 - DISPOSAL CONSIDERATIONS**

Disposal Method : Waste not regulated under RCRA. Incinerate at EPA approved facility or dispose of waste in compliance with state and local regulations.

**SECTION 14 - TRANSPORTATION / SHIPPING DATA**TDG / DOT Shipping Description:  
NOT REGULATED**SECTION 15 - REGULATORY INFORMATION****North American Inventories:**All components are listed or exempt from the TSCA inventory.  
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.**U.S. Federal Regulations:**

SARA 313 Components : None present or none present in regulated quantities.

SARA 311/312 Hazards : Acute Health Hazard

## OSHA Hazardous Components :

Amorphous silica 7631-86-9  
Titanium dioxide 13463-67-7OSHA Status: Considered : Irritant  
hazardous based on the  
following criteria:

OSHA Flammability : IIIB

Regulatory VOC (less water and : 0 g/l  
exempt solvent)

VOC Method 310 : 0 %

**U.S. State Regulations:**

MASS RTK Components : Amorphous silica 7631-86-9



**PROGLAZE WHITE**

Version 1.2  
 REVISION DATE: 09/01/2006

Print Date 09/11/2006

	Titanium dioxide	13463-67-7
Penn RTK Components :	Silicone polymer	NJ TSRN# 51721300-5110P
	Amorphous silica	7631-86-9
	Titanium dioxide	13463-67-7
NJ RTK Components :	Silicone polymer	NJ TSRN# 51721300-5110P
	Amorphous silica	7631-86-9
	Acetoxysilane	NJ TSRN# 51721300-5346P
	Ethyltriacetoxysilane	17689-77-9
	Titanium dioxide	13463-67-7

Chemicals known to the State of California to cause cancer birth defects and/or other reproductive harm:  
 None known.

**SECTION 16 - OTHER INFORMATION**

**HMIS Rating :**

Health	1
Flammability	1
Reactivity	0
PPE	

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

**Further information:**

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

**Prepared by: Rich Mikol**

**Legend**

- ACGIH - American Conference of Governmental Hygienists
- CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration

- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- RTK - Right To Know
- SARA - Superfund Amendments and Reauthorization Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System